

skirting board
SLK 50

edited at: 01.06.2012
valid from: 01.06.2012

version: **03**
replaced version: 21.10.09

1. Identification of the substance / mixture and of the company

1.1 Name of substance

Commercial product name: Döllken Skirting board with cable duct SLK 50

1.2 Application: Skirting board with cable duct for completion in houses.
To set in the crossing of wall and floor coating.

1.3 Fabricant: Döllken-Weimar GmbH
Street: Stangenallee 3
State / Postal code / city: D-99428 Nohra
Telephone: +49-(0) 36 43 / 41 70-0
Telefax: +49-(0) 36 43 / 41 70-33
E-Mail: info@doellken-weimar.de

2. Hazards identification

2.1 Classification: (final product for intended use)

2.1.1 Classification according to Regulation (EC) No. 1272/2008 CLP/GHS
no hazardous product according to Regulation

2.1.2 Classification according to Policy 67/548/EEC or 1999/45/EC
no hazardous product according to Policy

2.2 Label elements:
not applicable

2.3 Other hazards: dangerous fire gases: Note in sections 5.2.
Thermal degradation in poisonous and corrosiveness
components. One ingredient contains calcium acetyl acetonat,
May cause allergic reactions (if dust arises on processing).

3. Composition / information on ingredients

3.1 Substances: Profil manufactured of Solid- PVC (U-PVC)
with flexible lip seal of Soft- PVC (P-PVC).

4. First- aid measures

4.1 Description of first aid measures

after inhalation: not applicable
after contact with the skin: no special measures required
after contact with the eyes: no special measures required
after swallowing: no special measures required

4.2 Most important symptoms and effects, both acute and delayed
not applicable

skirting board
SLK 50

edited at: 01.06.2012
valid from: 01.06.2012

version: **03**
replaced version: 21.10.09

4.3 Indication of any immediate medical attention and special treatment needed
not applicable

5. Firefighting measures

5.1 Extinguishing media:

Suitable: Water spray, foam, carbon dioxide CO₂
Unsuitable: Water jet

5.2 Special hazards arising from the substance or mixture:

dangerous fire gases: hydrogen chloride HCl, carbon monoxide CO,
carbon dioxide CO₂,
particles of carbon, products of pyrolysis,
smoke development when burning

When the product was burning, it is necessary to clean immediate the adjacent metals and walls, because that can be corroded.

5.3 Advice for fire fighting:

Use respiratory protection independent of recirculated air.
Wear impermeable clothes and gloves.

6. Accidental release Measures

6.1 Personal precautions, protective equipment and emergency procedures:
no special measures required

6.2 Environmental precautions:
no special measures required

6.3 Methods and material for containment and cleaning up:
Take up mechanically and dispose of according to regulations.

6.4 Reference to other sections:
Note the protective measures in sections 7 and 8.

7. Handling und storage

7.1 Precautions for safe handling:

Use breathing protection and protective glasses if dust arises on processing.
Follow general rules of prophylactical fire protection.

7.2 Conditions for safe storage, including any incompatibilities:

Do not store together with combustible substances.
Keep away from sources of ignition.
Follow general rules of prophylactical fire protection.

7.3 Specific end uses:

no details required

skirting board
SLK 50

edited at: 01.06.2012
valid from: 01.06.2012

version: **03**
replaced version: 21.10.09

8. Exposure controls and personal protective equipment

8.1 Control parameters

8.1.1 Occupational exposure limits / biological limit values
not applicable

8.1.2 DNEL- and PNEC- values:
not applicable

8.1.3 Control-Banding (e.g. ILO, EMKG):
not applicable

8.2 Exposure controls

8.2.1 Appropriate engineering controls:

It is necessary to use a dust- suction when shape cutting machining.

8.2.2 Personal protective equipment:

Eye protection: use protective glasses in case of dust formation

Skin protection: not required

Hand protection: not required

respiratory protection: use dust mask in case of dust formation

8.2.3 Environmental exposure controls:

Note the sections 6 and 7.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:

Physical state / form: solid

Colour: different

Odour: slightly, typic

Odour threshold: undefined

pH- Value: undefined

Melting point/range: > 75 °C (to soften) / no data available

Initial boiling point/range: not applicable

Flash point: no data available

Ignition temperature: no data available

Lower explosion limit /

Upper explosion limit: no data available

Vapour pressure: not applicable

Density: no data available

Water solubility / -miscibility: insoluble (20°C)

Distribut. coeff. n-octanol / water: no data available

Ignition temperature: no data available

skirting board
SLK 50

edited at: 01.06.2012
valid from: 01.06.2012

version: **03**
replaced version: 21.10.09

Thermal decomposition: > 200 °C
Viscosity (dynamic): no data available
explosive attributes: no data available
oxidizing attributes: during the thermal degradation

9.2 Other safety information

Further physical and chemical details are not ascertained.

10. Stability und reactivity

10.1 Reactivity: If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

10.2 Chemical stability: The product is chemically stable in usual surrounding conditions (indoor temperature).

10.3 Possibility of hazardous reactions: If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

10.4 Conditions to avoid: not provided

10.5 Incompatible materials: not provided

10.6 Hazardous decomposition products: when burning: hydrogen chloride, carbon monoxide, carbon dioxide, products of pyrolysis, particles of carbon

11. Toxicological information

11.1 Information on toxicological effects: According to present experience and intended use no injurious effects are known.

12. Ecological information

12.1 Toxicity: On appropriate use up to now no hazardous influence to environment known.

12.2 Persistence and degradability: non-biodegradable

12.3 Bioaccumulative potential: no data available

skirting board
SLK 50

edited at: 01.06.2012
valid from: 01.06.2012

version: **03**
replaced version: 21.10.09

- 12.4 Mobility in soil:
not applicable
- 12.5 Results of PBT and vPvB assessment:
no data available
- 12.6 Other adverse effects: (ingredients)
low water-polluting (Germany - WGK 1)

13. Disposal considerations

- 13.1 Waste treatment methods:
Product:
follow local, official regulations
- Product packaging:
The cardboard package can be placed to the recycling.
Plastic package can be placed at relevant utilizations.

14. Transport information

- 14.1 UN-No: no data available
- 14.2 Proper UN- shipment designation
Road ADR / Railway RID: no hazardous material
Ship IMDG-Code: no hazardous material
Airplane ICAO-Ti / IATA-DGR: no hazardous material
- 14.3 Danger classes for carriage:
no hazardous material
- 14.4 Category for wrapping:
no data available
- 14.5 Threats for environment:
Mark of endangering substances
ADR/RID / IMDG-Code / ICAO-TI / IATA-DGR: yes / no
Marine Pollutant: yes / no
- 14.6 Special indications to caution for user:
Note the sections 6 - 8
- 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
category of pollution (X, Y or Z): not specified
schip (1, 2 or 3): not specified

skirting board
SLK 50

edited at: 01.06.2012
valid from: 01.06.2012

version: **03**
replaced version: 21.10.09

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or Mixture:

According to present data not a hazardous substance.
(ingredients) low water-polluting (Germany - WGK 1)

15.2 Chemical Safety Assessment:

An assessment for safety is not available.

16. Other information

The data are based on recent knowledge as well as experiences and details from our suppliers. The Safety Data Sheet describes products regarding safety necessities. The data have not the meaning of assurance of characteristics.

This version substituts any previous versions.